

***Palazzoli***

**General**  
Catalogue



2019/2020

# ***Palazzoli***



CHIAREZZA DELLA FUNZIONE  
SEMPLICITÀ DI PROGETTO  
QUALITÀ DELLA MANIFATTURA

---

CLARITY OF FUNCTION  
PROJECT SIMPLICITY  
QUALITY OF MANUFACTURE





Compliance with standards	<b>IEC/EN 61439-1</b> <b>IEC/EN 61439-4</b>
Material	<b>Technopolymer</b>
Protection rating (IP according to IEC/EN 60529)	<b>IP66</b>
Colour	<b>RAL7035</b>
Resistance to abnormal heat and fire ("Glow wire" according to IEC/EN 60695-2-10)	<b>850°C (socket insert)</b> <b>650°C (socket body - board)</b>
Impact resistance (IK grade according to IEC/EN 62262)	<b>IK08</b>
Rated current	<b>16A - 32A</b>
Operating voltage	<b>230V-400V</b>
Operating frequency	<b>50-60Hz</b>
RCD protection type	<b>AC</b>
Insulation voltage	<b>500V</b>
Power plug	<b>For anti-crushing heavy-duty applications</b>
Cable length	<b>4 m</b>
Storage temperature	<b>-30°C - +70°C</b>
Operating temperature	<b>-25°C - +50°C</b>



**Portable boards with 3 sockets MCB and RCD protection 50-60Hz IP66**

16A 2P+≐ 230V	Sockets 16A 3P+≐ 400V	Shuko bivalent domestic	Plug type	MCB - RCD protection	Palazzoli code	Pack Qty
3			2P+≐ - 16A	16A 30mA	<b>670030</b>	1
2	1		3P+N+≐ - 16A	16A 30mA	<b>670031</b>	1
1	2		3P+N+≐ - 16A	16A 30mA	<b>670032</b>	1
2		1	2P+≐ - 16A	16A 30mA	<b>670033</b>	1

**Equipment included:** 4 m of H 07 RN-F cable for connection to the plug.  
**Features:** padlockable modular door.



**Portable boards with 4 sockets MCB and RCD protection 50-60Hz IP66**

16A 2P+≐ 230V	Sockets 16A 3P+≐ 400V	Shuko bivalent domestic	Plug type	MCB - RCD protection	Palazzoli code	Pack Qty
4			2P+≐ - 16A	16A 30mA	<b>670040</b>	1
3	1		3P+N+≐ - 16A	16A 30mA	<b>670041</b>	1
2	2		3P+N+≐ - 16A	16A 30mA	<b>670042</b>	1
	4		3P+≐ - 16A	16A 30mA	<b>670043</b>	1
2		2	2P+≐ - 16A	16A 30mA	<b>670044</b>	1

**Equipment included:** 4 m of H 07 RN-F cable for connection to the plug. Insulated handle for transport. Stainless steel plates for wall-mounting.  
**Features:** padlockable modular door.



**Portable boards with 6 sockets MCB and RCD protection 50-60Hz IP66**

16A 2P+≐ 230V	Sockets 16A 3P+≐ 400V	32A 3P+≐ 400V	Plug type	MCB - RCD protection	Palazzoli code	Pack Qty
4	2		3P+N+≐ - 32A	32A 30mA	<b>670060</b>	1
3	3		3P+N+≐ - 32A	32A 30mA	<b>670061</b>	1
3	2	1	3P+N+≐ - 32A	32A 30mA	<b>670062</b>	1
6			3P+N+≐ - 32A	32A 30mA	<b>670063</b>	1

**Equipment included:** 4 m of H 07 RN-F cable for connection to the plug. Insulated handle for transport. Stainless steel plates for wall-mounting.  
**Features:** padlockable modular door.

**NOTES**



The boards can be customised with lateral emergency push-button.



**Portable transformation boards**  
50-60Hz IP66

With transformer 2P 24V 150VA	Industrial 2P+ $\neq$ 230V	MCB - RCD	Palazzoli code	Pack Qty
2	2	2P 16A	<b>670130</b>	1
2		2P 16A	<b>670140</b>	1

**Equipment included:** self-protected safety transformer, 4 m H 07 RN-F cable for connection to the plug, handle made of insulating material for transport.

**Uses:** indispensable in confined conductive areas such as pits, wells, chimneys, tanks and metallic or humid narrow passages and confined excavations in the ground.

**Features:** padlockable modular door.

**Technical accessories:**



page 75



**Universal support for topTER, PRIMA and Energy Go**  
distribution boards

Manufacturing material	Palazzoli code	Pack Qty
width 239 mm and above	<b>570010</b>	1

**Equipment included:** 4 stainless steel screws for fastening the item to the distribution board.



**Interlocked extension**  
with **rotoswitch**  
and 20 m cable  
**IP66/IP67**

Rated current (A)	Rated voltage (V)	Voltage colour	Poles	h ref.	Palazzoli code	Pack Qty
16	110	Yellow	2P+ $\neq$	4	<b>670013</b>	1
	230	Blue	2P+ $\neq$	6	<b>670010</b>	1
	400	Red	3P+ $\neq$	6	<b>670011</b>	1
		Red	3P+N+ $\neq$	6	<b>670012</b>	1

**Equipment included:** 20 m of H 07 RN-F 2.5 mm<sup>2</sup> cable for connection to the plug.

**THE ONLY PORTABLE INTERLOCKED EXTENSION**



The background of the entire page is a night-time satellite view of the Earth, showing the illuminated continents of Europe and Africa. A bright sun or star is positioned at the horizon, creating a lens flare effect. Overlaid on this image is a network of glowing blue lines connecting various points, resembling a global communication or data network. The Palazzoli logo is prominently displayed at the top center.

# **Palazzoli**

— excellence —  
**FROM ITALY**

---

Palazzoli S.p.A  
25128 Brescia - Italy - Via F. Palazzoli, 31  
Tel +39 030 2015.1  
Fax +39 030 2015.258  
[www.palazzoli.com](http://www.palazzoli.com)  
[export@palazzoli.com](mailto:export@palazzoli.com)

---