

Palazzoli

General
Catalogue



2019/2020

Palazzoli



CHIAREZZA DELLA FUNZIONE
SEMPLICITÀ DI PROGETTO
QUALITÀ DELLA MANIFATTURA

CLARITY OF FUNCTION
PROJECT SIMPLICITY
QUALITY OF MANUFACTURE





SPIN series

Mobile rubber plugs and sockets for domestic installations

Rubber and thermoplastic standard applications

Compliance with standards	IEC 23-50
Material	Shockproof rubber Technopolymer
Protection rating (IP according to IEC/EN 60529)	IP20 - IP44
Colour	RAL5015
Resistance to abnormal heat and fire ("Glow Wire" according to IEC/EN 60695-2-10)	850°C (insert)
Flammability rating (according to UL94)	V2
Impact resistance (IK rating according to IEC/EN 62262)	IK10 (Rubber) IK08 (Technopolymer)
Rated current	16A
Operating voltage	250V
Operating frequency	50-60Hz
Insulation voltage	500V
Storage temperature	-30°C - +70°C
Operating temperature	-25°C - +50°C



Straight mobile domestic plug in shockproof rubber IP44

Rated current (A)	Rated voltage	Poles	Type	Palazzoli code	Pack Qty
16	250V	2P+≐	S30	437012	10

Features: cable entry hole Ø 11.5 mm. IP44 with plug inserted.



90° angled mobile domestic plug in shockproof rubber IP44

Rated current (A)	Rated voltage	Poles	Type	Palazzoli code	Pack Qty
16	250V	2P+≐	S30	437022	10

Features: cable entry hole Ø 11.5 mm. IP44 with plug inserted.



Straight mobile domestic socket in shockproof rubber for the German market IP44

Rated current (A)	Rated voltage	Poles	Type	Palazzoli code	Pack Qty
16	250V	2P+≐	S30	433052	10

Features: cable entry hole Ø 11.5 mm. IP44 with plug inserted. Only suitable for markets with German standard.



Straight mobile domestic plug in thermoplastic material IP20

Rated current (A)	Rated voltage	Poles	Type	Palazzoli code	Pack Qty
16	250V	2P+≐	S30	437152	10

Features: cable entry hole Ø 11.5 mm. IP44 with sleeve code 590021.

Technical accessories:



page 213

The background of the entire page is a vibrant blue space-themed image. It features a view of the Earth from space, with the sun rising over the horizon, creating a bright lens flare effect. The Italian peninsula is clearly visible on the Earth's surface, illuminated by city lights. A network of glowing blue lines and dots, resembling a constellation or a digital network, is overlaid on the scene. The Palazzoli logo is positioned at the top center.

Palazzoli

— excellence —
FROM ITALY

Palazzoli S.p.A
25128 Brescia - Italy - Via F. Palazzoli, 31
Tel +39 030 2015.1
Fax +39 030 2015.258
www.palazzoli.com
export@palazzoli.com
