



Palazzoli

General Catalogue



2019/2020

Palazzoli



CHIAREZZA DELLA FUNZIONE
SEMPlicità DI PROGETTO
QUALITÀ DELLA MANIFATTURA

CLARITY OF FUNCTION
PROJECT SIMPLICITY
QUALITY OF MANUFACTURE



JANUS





JANUS

It doubles energy and halves the space



The transparent cover allows easy and quick access to the circuit protection devices at any location.



The JANUS board integrates all of the fixings for wall-mounted or floor installations, without the need for accessories.



Easy to carry, ergonomic handle for on-site use.



The cable clamp groove avoids the possibility that the plug can be torn from the board when it is wall-mounted.

Suitable for use in building sites, public events, circuses, trade fairs and market areas.



The products of the JANUS series are a range of universal distribution boards in technopolymer that can be folded, with IP65 protection rating. The system consists of distribution boards with either 4 interlocked socket-outlets or 8 fixed sockets. All products can be folded and used as portable or fixed distribution boards that can be wall-mounted or placed on the floor without the use of any accessories.

Compliance with standards	IEC/EN 61439-1 IEC/EN 61439-4
Material	Technopolymer
Protection rating (IP according to IEC/EN 60529)	IP65
Colour	RAL5015
Resistance to abnormal heat and fire ("Glow wire" according to IEC/EN 60695-2-10)	650°C
Impact resistance (IK grade according to IEC/EN 62262)	IK10
Rated current	16A – 32A
Operating voltage	230V – 400V
Operating frequency	50-60Hz
RCD protection type	AC
Insulation voltage	500V
Power plug	Multimax type
Cable length	2 m
Storage temperature	-30°C - +70°C
Operating temperature	-20°C - +40°C



Universal distribution boards foldable with 4 interlocked socket-outlets with **power terminal block** and **fuse protection**
IP65

Main switch A / kW	16A 2P+±	16A 3P+±	16A 3P+N+±	32A 3P+N+±	2P+± P30/P17 10/16A	Palazzoli code	Pack Qty
32/6	4					644101	1
32/18	3	1				644102	1
32/18	3		1			644103	1
32/18	2	2				644104	1
32/18	2	1	1			644105	1
32/18	2	1		1		644106	1
32/6	3				1	644110	1

Features: padlockable modular door.

Notes: if used as a main construction site distribution board, connect the earthing terminal to the earthing node.



Universal distribution boards, foldable with 4 interlocked socket-outlets with **power plug** and **fuse protection**
IP65

Main switch A / kW	16A 2P+±	16A 3P+±	16A 3P+N+±	32A 3P+N+±	2P+± P30/P17 10/16A	Palazzoli code	Pack Qty
32/6	4					644001	1
32/18	3	1				644002	1
32/18	3		1			644003	1
32/18	2	2				644004	1
32/18	2	1	1			644005	1
32/18	2	1		1		644006	1
32/6	3				1	644010	1

Features: padlockable modular door.

Note: the version with plug cannot be used as the main distribution board for construction sites.

GUIDE TO THE CREATION OF ACS DISTRIBUTION BOARDS

Palazzoli provides a step by step guide to choosing the correct part numbers for your installation and fulfilling all the documents that have to be submitted to inspectors for health and safety of the workers on the construction site.



The guide is free and can be downloaded at www.palazzoli.com



Universal distribution boards foldable with 4 interlocked socket-outlets with **power terminal block** and **MCB protection IP65**

Main switch A / kW	16A 2P+ \neq	Interlocked socket-outlets				2P+ \neq P30/P17 10/16A	Palazzoli code	Pack Qty
	16A 3P+N+ \neq	16A 3P+N+ \neq	16A 3P+N+ \neq	32A 3P+N+ \neq				
32/6	4						634101	1
32/18	3	1					634102	1
32/18	2	2					634104	1
32/18	2	1	1				634105	1
32/18	2	1		1			634106	1
32/6	3				1		634110	1

Features: padlockable modular door.

Notes: if used as a main construction site distribution board, connect the earthing terminal to the earthing node.



Universal distribution boards, foldable with 4 interlocked socket-outlets with **power plug** and **MCB protection IP65**

Main switch A / kW	16A 2P+ \neq	Interlocked socket-outlets				2P+ \neq P30/P17 10/16A	Palazzoli code	Pack Qty
	16A 3P+N+ \neq	16A 3P+N+ \neq	16A 3P+N+ \neq	32A 3P+N+ \neq				
32/6	4						634001	1
32/18	3	1					634002	1
32/18	2	2					634004	1
32/18	2	1	1				634005	1
32/18	2	1		1			634006	1
32/6	3				1		634010	1

Features: padlockable modular door.

Notes: the version with plug cannot be used as the main distribution board for construction sites.

SOFTWARE FOR THE PREPARATION OF ACS DISTRIBUTION BOARDS

Alternatively to the guide, a software to design, quote and certify customized ACS distribution boards is available.



The software is available at
www.palazzoli.com



Universal distribution boards foldable with 8 sockets with **power plug** and **MCB protection IP65**

Main switch A / kW	16A 2P+ \neq	Industrial socket-outlets				2P+ \neq P30/P17 10/16A	Palazzoli code	Pack Qty
	16A 3P+N+ \neq	16A 3P+N+ \neq	16A 3P+N+ \neq	32A 3P+N+ \neq				
32/6	4					4	638040*	1
32/6	8						638041	1
32/18	4	4					638042	1

Features: padlockable modular door.

*IP55 protection rating.

Note: the version with plug cannot be used as the main distribution board for construction sites.



Empty distribution board for wired distribution boards up to 4 interlocked or 8 fixed sockets

Outer dimensions (mm)	Side A	Side B	Palazzoli code	Pack Qty
329x572x325	12 modules	blind	634100	1

Features: padlockable modular door. Mushroom push-button not included

Technical accessories:

page 70	page 32	page 33-39	page 33	pages 33-557	page 73



Stainless steel support for ACS Janus distribution boards

Manufacturing material	Palazzoli code	Pack Qty
galvanised and painted steel	601540	1

The background of the entire page is a deep blue space scene. A bright sun or star is rising over the horizon of the Earth, creating a lens flare effect. The Earth's surface is visible, showing the outlines of continents and city lights. Overlaid on this scene is a network of thin blue lines connecting various points, resembling a global communication or data network. The Palazzoli logo is prominently displayed in the upper center.

Palazzoli

— excellence —
FROM ITALY

Palazzoli S.p.A
25128 Brescia - Italy - Via F. Palazzoli, 31
Tel +39 030 2015.1
Fax +39 030 2015.258
www.palazzoli.com
export@palazzoli.com
