


MECHANICAL TOOLS TN RANGE

for uninsulated terminals and connectors

TN120SE



TECHNICAL FEATURES

Crimping Range

*Uninsulated terminals and connectors
for conductor sizes 10 R/F to 120 R/150 F sqmm

Dimensions mm

Length	700
Width	170
Height	47
Weight kg	3

*R= Rigid conductor F= Flexible conductor



Professional manual mechanical tool suitable for crimping A-M Cu lugs and non-insulated L-M and L-P connectors.


Heat treated steel crimp jaws. Easily adjustable die positioning by knurled screw and reference vernier scale.

Handles made from anti-slip plastic with hilt.

MECHANICAL TOOLS TN RANGE

for insulated terminals and connectors

TNN120



TECHNICAL FEATURES

Crimping Range

*Polyamide PA6.6 insulated terminals and connectors
for conductor sizes 10 F to 120 F sqmm

Dimensions mm

Length	700
Width	170
Height	47
Weight kg	3

*F= Flexible conductor



Professional manual mechanical tool suitable for the crimping of wire terminals and PA 6.6 insulated connectors.

Heat treated steel crimp jaws. Easily adjustable die positioning by knurled screw and reference vernier scale.

Handles made from anti-slip plastic with hilt.